

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	127	(pars\$4 with (assign\$4 near4 (integer or number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 09:09
S3	47	S2 and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 09:09
S5	2	((pars\$4 with (assign\$4 near4 (integer or number))) with (concept or meaning or symanctic or lexical or ontological))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 09:34
S6	251	((argument\$1 or parameter \$1) near3 truncat\$3) and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 09:35
S7	253	((argument\$1 or parameter \$1) near3 truncat\$3) and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/20 14:01
S8	20	S7 and anderson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/20 14:04
S9	13	S8 and @ad< "20000901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/20 14:05
S10	3	"20020143521"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 09:35

S1	376	(assign\$4 near5 (integer or number)) with (concept\$4 or meaning or symantic or conceptual or lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 09:35
S2	281	S1 and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 10:19
S11	11	(predicate\$1 with verb\$1 with preposition\$1) and @ad< "20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 10:21
S12	7	"724170".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/12 11:29
S13	2	"20040111408" and (document\$1 with predicate \$1 with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/12 11:30
S15	2	"20040111408"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 20:54
S14	460	(assign\$4 near5 (integer or number)) with (concept\$4 or meaning or symantic or conceptual or lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 20:54
S16	2	"20040111408" and (predicate or argument or vector\$5 or subtract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:03
S17	612	(document\$1 and cluster\$3 and Similar and predicate \$1) and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:06

S18	14	S17 and "700".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:07
S19	6	"697676".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:13
S20	18249	(document\$1 with (cluster \$3 or similar\$3 or rank\$3)) and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:30
S23	1147	S22 and (pair\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:31
S22	2973	S21 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:31
S21	11383	(document\$1 near5 (cluster \$3 or similar\$3 or rank\$3)) and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:31
S24	268	S22 and (verb\$1 with (noun \$1 or adjective\$1 or adverb \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:32
S25	268	S24 and @ad< "20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:34
S26	132	S24 and @ad< "20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:36

S28	1	"6778979".pn. and (noun\$1 or verb\$1 or predicate\$1 or vector\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:55
S27	2	"6778979".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:55
S29	2	"5794050".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 21:59
S30	1	"5794050".pn. and (noun\$1 or verb\$1 or predicate\$1 or vector\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 22:00
S31	72	(verb\$1 and noun\$1 and predicate\$1 and pair\$3 and vector\$5) and @ad< "20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 23:49
S32	5	(verb\$1 same (noun\$1 or predicate\$1) same pair\$3 same vector\$5) and @ad< "20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/18 23:53
S33	2	"5227971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/19 00:16
S34	1	"5227971".pn. and (vector \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/19 00:17
S35	2	"5227971".pn. and (vector \$5 or subtract\$3 or result\$3 or near\$4 or Similar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 08:40

S36	2	"20040111408"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 08:56
S37	1	"20040111408" and (predicate near2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 08:57
S38	1	"20040111408" and (readable or medium or media or signal\$1 or wave \$1 or propagation\$1 or communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 08:59
S39	0	"20040111408" and (readable or medium or media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 09:23
S40	1	"20040111408" and ((predicate near2 key\$1) same vector\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 09:40
S41	1	"20040111408" and (((predicate near2 key\$1) or integer\$1) same (vector \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 09:43
S44	0	S43 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:02
S43	292	S42 and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:02
S42	461	(assign\$4 near5 (integer or number)) with (concept\$4 or meaning or symanctic or conceptual or lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:02

S45	2750	((integer or number)) with (concept\$4 or meaning or symantic or conceptual or lexical) and "707".clas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:04
S46	19	((integer or number) same (concept\$4 or meaning or symantic or conceptual or lexical) same subtract\$3) and "707".clas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:05
S47	7	S46 and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:06
S48	1	"5488725".pn. and ((document near2 number \$1) or concept\$1 or subtract \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:15
S49	12725	((integer or number)) with (concept\$4 or meaning) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:38
S50	25	((integer\$1 or number\$1) with (concept\$4 or meaning) with (nearness or similarity)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:39
S52	206	(integer\$1 with concept\$1) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:42
S51	1	((integer\$1) with (concept \$4 or meaning) with (nearness or similarity)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:42
S53	64	(integer\$1 near5 concept \$1) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:43

S55	4	(dictionary with index\$3 with (integer\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:53
S54	496	(dictionary with index\$3) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:53
S56	364897	((concept\$1 or meaning) integer\$1 (integer\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:55
S58	523	((concept\$1 or meaning) near5 integer\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:56
S57	523	((concept\$1 or meaning) near5 integer\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:56
S59	0	((concept\$1 or meaning) near5 integer\$1) with (similarity or nearness or semantic\$1)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:57
S60	3	((concept\$1 or meaning) near5 integer\$1) with (similar\$3) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:58
S61	11	((word\$1 or meaning) near5 integer\$1) with (similar\$3) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:59
S62	827	(word\$1 same dictionary same (integer or number)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 10:01

S63	282	S62 and (subtract\$3 or integer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 10:04
S64	2	"20050022114" and (personality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 10:15
S65	1	"20050240566" and (identif \$7 or search\$3 or similar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 10:45
S66	51	S63 and (subtract\$3 with (word\$3 or number\$1 or integer\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 10:52
S67	1	"20030140152" and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:18
S68	3	(synonym\$1 near5 integer \$1) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:29
S70	6	(conceptual adj (nearness or proximity)) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:30
S69	1	(conceptual adj nearness) and @rlad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:30
S71	1	"5325298".pn. and subtract \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:46

S72	2	"5325298".pn. and (subtract \$3 or concept\$1 or integer \$1 or number\$1 or proximity or nearness or word\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:48
S73	1	"5325298".pn. and (integer \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:03
S74	7	"724170".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:40
S75	1	"20040111408" and (software or hardware or cpu or processor or drive\$1 or memory or firmware or signal\$1 or wave\$1 or propagation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:41
L3	21	L1 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:36
L2	11	L1 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:36
L1	480	((assign\$4 near\$5 (integer or number)) with (concept\$4 or meaning or syntactic or conceptual or lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:36
L4	13	((integer or number) same (concept\$4 or meaning or syntactic or conceptual or lexical) same subtract\$3). ctm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:37
L10	4	((document\$1 and cluster\$3 and Similar and predicate \$1).ctm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38

L9	106	(document\$1 and cluster\$3 and Similar and predicate \$1) and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38
L8	48	(document\$1 and cluster\$3 and Similar and predicate \$1) and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38
L7	46	((argument\$1 or parameter \$1) near3 truncat\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38
L6	12	((argument\$1 or parameter \$1) near3 truncat\$3) and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38
L5	5	((argument\$1 or parameter \$1) near3 truncat\$3) and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/05 12:38

9/ 5/ 2008 12:39:24 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-724-170__1.wsp